


Inventory as of 05/05/2019



Sum = 211.67 SgI (SgI-Rated) = 1.180 SgI (SgI-Actual)

Summed SgI = 1%

| Chemicals | Qty    | Qty    | SgI    | Summed | Actual |
|-----------|--------|--------|--------|--------|--------|
| 100007    | 17.000 | 17.000 | 0.000  | 0      | 0      |
| 100027    | 300    | 98     | 20.000 | 94     | 2      |
| 100037    | 200    | 9      | 2.700  | 2      | 0      |
| 100047    | 400    | 200    | 2.000  | 2      | 0      |
| 200027    | 400    | 98     | 20.000 | 80     | 0      |
| 200037    | 200    | 18.000 | 18.000 | 90     | 0      |
| 200047    | 800    | 12     | 9.600  | 12     | 0      |
| 200057    | 5.400  | 5.400  | 5.400  | 2      | 0      |
| 200067    | 1.200  | 4      | 8.800  | 4      | 0      |
| 200077    | 2.400  | 2.400  | 2.400  | 2      | 0      |
| 300007    | 1.200  | 4      | 8.800  | 4      | 0      |
| 300017    | 18.000 | 18.000 | 18.000 | 2      | 0      |
| 400047    | 1.800  | 2      | 3.200  | 2      | 0      |
| 400057    | 1.800  | 1      | 3.200  | 1      | 0      |
| 400067    | 1.800  | 1.800  | 1.800  | 1      | 0      |
| 400077    | 2.000  | 2      | 3.800  | 7      | 0      |
| 500007    | 2.400  | 2      | 4.600  | 7      | 0      |
| 500017    | 2.400  | 1      | 4.600  | 7      | 0      |
| 500027    | 2.400  | 1      | 4.600  | 7      | 0      |
| 500037    | 3.000  | 3      | 5.500  | 3      | 0      |
| 500047    | 3.000  | 3      | 5.500  | 3      | 0      |
| 500057    | 3.000  | 3      | 5.500  | 3      | 0      |
| 500067    | 3.000  | 2      | 5.200  | 2      | 0      |
| 500077    | 3.000  | 1      | 5.200  | 2      | 0      |
| 600007    | 3.000  | 1      | 5.200  | 2      | 0      |
| 600017    | 3.000  | 1      | 5.200  | 2      | 0      |
| 600027    | 5.400  | 1      | 5.400  | 1      | 0      |
| 600037    | 5.400  | 1      | 5.400  | 1      | 0      |
| 600047    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600057    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600067    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600077    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600087    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600097    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600107    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600117    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600127    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600137    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600147    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600157    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600167    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600177    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600187    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600197    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600207    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600217    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600227    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600237    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600247    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600257    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600267    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600277    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600287    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600297    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600307    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600317    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600327    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600337    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600347    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600357    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600367    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600377    | 6.000  | 1      | 5.900  | 1      | 0      |
| 600387    | 6.000  | 1      | 5.9    |        |        |



# Halls DE Move Out Floorplans



**EZE ZONE**  
 "THE DESIGNATED 'NO-FREIGHT AISLES' MUST BE MAINTAINED CLEAR OF CRATES AND EXHIBIT MATERIALS AT ALL TIMES DURING MOVE-IN, SHOW DAYS AND MOVE-OUT."  
 "THESE AISLES ARE REQUIRED FOR EMERGENCY ACCESS THROUGHOUT THE HALL AND TO EXPEDITE FREIGHT DELIVERY AND EMPTY CRATE REMOVAL AND RETURN."

| HALL D&E | Booths # 6000-8999                |                            |                            |                              |                            |
|----------|-----------------------------------|----------------------------|----------------------------|------------------------------|----------------------------|
| Zone     | Booth Size                        | Vehicle Move Out           | Empty Crates Returned By   | Carrier Check In             | Booth Materials Cleared By |
| Zone 9   | Booths (1500 & Above) Square Feet | Wednesday, 16 October 1730 | Thursday, 17 October 0400  | Friday, 18 October by 1000   | Friday, 18 October 2200    |
| Zone 10  | Booths (800 - 1400) Square Feet   | Wednesday, 16 October 1730 | Thursday, 17 October 0400  | Friday, 18 October by 0600   | Friday, 18 October 1700    |
| Zone 11  | Booths (400-700) Square Feet      | Wednesday, 16 October 1730 | Thursday, 17 October 0200  | Thursday, 17 October by 1000 | Thursday, 17 October 2000  |
| Zone 12  | Booths (100-300) Square Feet      | Wednesday, 16 October 1730 | Wednesday, 16 October 2200 | Thursday, 17 October by 0700 | Thursday, 17 October 1400  |

2019 AUSA Annual Meeting & Exposition - A Professional Development Forum  
 October 14 - 16, 2019  
 Walter E. Washington Convention Center - Halls D & E