



**JEC WORLD**  
**2026** The Leading International  
Composites Show

March 10-12  PARIS-NORD VILLEPINTE


# HOW TO PREPARE ARTWORK FOR YOUR ADVANCED EQUIPPED BOOTH !

Your guide to preparing artwork  
for **JEC World** 2026.

« CONTACT US FOR  
ANY HELP TO  
PREPARE YOUR  
GRAPHICS »

# TECHNICAL SPECIFICATIONS – SYSTEM FABRIC

## ❖ Eye catcher (panel visual sizes): 992 x 992mm



**Visible area**



### Lost funds

To avoid any problems when cutting, it is essential to leave some bleed. It must consist of your image and not white.



## TECHNICAL INFORMATION FOR PRINTED FILES

- Bleed of 30mm around the document (30mm more than the desired format)
- Lost funds markers
- Vectorized text File in .PDF format (saved in optimal quality or pre-press)
- HD image, 300dpi in CMYK
- Respect the dimensions (they will be sent to you on request)

## DO'S & DONT'S

Fixing on melamine / vinyl panels **is permitted by:**


- Double sided tabs provided by GES
- Hook and loop velcro

The use of the following fixings is **strictly forbidden** on this system:



# TECHNICAL SPECIFICATIONS – SYSTEM FABRIC

❖ Panel visual sizes: 992 x 2,480mm / 496 x 2,480mm



## INFORMATION

- Seamless fabric graphic that fits into the system.
- Covers system metal work.
- Maximises every inch of space.
- Printed on 100% Recyclable material
- With this option there can be minor ripples in the material

## REMINDER

- 2 Fabric panels of 1.00m are included in ADVANCED BOOTH fitting.


# TECHNICAL SPECIFICATIONS – SYSTEM FABRIC

Bleed of 30mm  
*(margin / cropped area)*

SPACE FOR  
BRANDING

Vectorized text  
*(cannot be selected)*  
*Same for logos*

1m



Lost funds markers  
*(for cutting of graphics)*



**Visible area**



**Sensitive area**

It is recommended not to put text in this area. It risks to be hidden by the furnitures and equipment on the booth (1 meter from the ground)



**Lost funds**

To avoid any problems when cutting, it is essential to leave some bleed. It must consist of your image and not white.

## TECHNICAL INFORMATION FOR PRINTED FILES

- Bleed of 30mm around the document (30mm more than the desired format)
- Lost funds markers
- Vectorized text File in .PDF format (saved in optimal quality or pre-press)
- HD image, 300dpi in CMYK
- Respect the dimensions (they will be sent to you on request)

## DO'S & DONT'S

Fixing on melamine / vinyl panels  
**is permitted by:**

- Double sided tabs provided by GES
- Hook and loop velcro

The use of the following fixings  
**is strictly forbidden** on this system:




# TECHNICAL SPECIFICATIONS – SYSTEM FABRIC

❖ Example of fabric visual sizes : 1,984 x 2,480mm

## Front view standard sizes

Measurements in mm

1,984



partition of 2.00m




❖ Fabric visual sizes : Dimensional correspondence

## Front view standard sizes

Measurements in mm

FABRIC PANEL SIZES			
Panel width		Fabric Visible Size	File Size to provide <i>(incl. 30mm bleed on all sides)</i>
500 mm	=	496x2480 mm	556x2540 mm
1000 mm	=	992x2480 mm	1052x2540 mm
1500 mm	=	1448x2480 mm	1548x2540 mm
2000 mm	=	1984x2480 mm	2044x2540 mm
2500 mm	=	2480x2480 mm	2540x2540 mm
3000 mm	=	2976x2480 mm	3036x2540 mm
3500 mm	=	3472x2480 mm	3532x2540 mm
4000 mm	=	3968x2480 mm	4028x2540 mm
4500 mm	=	4464x2480 mm	4524x2540 mm
5000 mm	=	4960x2480 mm	5020x2540 mm
5500 mm	=	5456x2480 mm	5516x2540 mm
6000 mm	=	5952x2480 mm	6012x2540 mm
6500 mm	=	6448x2480 mm	6508x2540 mm
7000 mm	=	6944x2480 mm	7004x2540 mm
7500 mm	=	7440x2480 mm	7500x2540 mm
8000 mm	=	7936x2480 mm	7996x2540 mm
8500 mm	=	8432x2480 mm	8492x2540 mm
9000 mm	=	8928x2480 mm	8988x2540 mm
9500 mm	=	9424x2480 mm	9504x2540 mm
10000 mm	=	9920x2480 mm	9980x2540 mm



## Which file format should I use for my artwork?



### Adobe Illustrator

Vector based artwork - for creating drawings.



### Adobe Photoshop

Bitmap based artwork - for editing photos.



### Adobe InDesign

Vector based artwork - for creating layouts of images and text.




### PRO TIP

For the best quality print, your logos should be sent


In terms of image file types, .ai, .eps, .psd and .jpeg are all acceptable (.jpeg is only okay if it has been compressed for easy sending and was originally made at **300dpi**).



## What is “high resolution” artwork?



72 dpi  
Low resolution



300 dpi  
High resolution

**Ready to get your artwork printed?**

[CLICK HERE](#)

## Instructions

### Step 1 - User and Recipient Information

1. Enter your email address and select the Validate Email button.
2. Check your email for the verification code, enter the code on the form, and hit the Verify button.
3. Enter the recipient's email address. Use the + button to add up to 4 additional recipients (only for active GES email address or it will not work).
4. Add any comments that you may wish to include about the file transfer.
5. Select the I'm Not a Robot box below and complete the identity challenge if necessary.
6. When successful, click Next.

### Step 2 - File Upload

1. Click the Choose File button and browse within your computer to find the file(s) you wish to transfer to the recipient. Add the file(s) individually. **To improve file transfer speeds, please compress your files before transferring them, either in .zip, .sit or .sea formats. 2 GB is the maximum file size allowed.**
2. Click the Upload button. You should then see your browser attempting to transfer the file via the progress bar. Do not close the browser or cancel the transfer until notified that the upload is complete.
3. When the transfer is complete, you will see an Upload completed successfully message with the file(s) listed below.
4. Senders should receive an email confirming their file transfer. Recipients will receive an email confirming the upload, as well as a link to retrieve the file(s).

# Need help?

Our Customer Care is here to support you every step of the way.



Phone: +44 2476 380 190



Email: [GES JEC World - Customer Care Team](#)



Monday - Friday 08:30 - 17:00 UTC + 1.